
## Lutron Caséta Wireless

Control your lights, shades, and temperature from anywhere



#### Control from anywhere

- · Turn lights on from your car
- Adjust temperature from your office
- · Turn off lights and close shades from your bed
- · Schedule lights, shades, and temperature to automatically adjust at set times of day

#### Set up is easy

- · Ideal for existing or new homes
- · No new wiring required
- Watch the installation videos on www.CasetaWireless.com





## Welcome to Caséta Wireless

# Peace of mind. Comfort. Convenience.

Caséta Wireless provides all of these, at the touch of a button.

Whether you want your lights on, off, or somewhere in between, your shades raised or lowered, or your temperature set back a few degrees, you can count on Caséta Wireless to deliver what you need.

Caséta Wireless also uses Lutron's Clear Connect<sub>®</sub> wireless technology, for reliable operation.

Once you try Caséta Wireless, you'll wonder how you ever lived without it.



Turn lights on as you arrive home




Adjust temperature from your office




Turn lights off and close shades from your bedside

Turn entryway and outdoor lights on from the security of your car.




Forgot to set your thermostat back? Lower it from work, to save energy during the day. Then raise it before you leave, for a comfortable welcome home.




No need to get out of bed.

Simply turn the lights off and close shades from your bedside and drift into sleep.



## **Product information**





In-wall dimmer


- Doesn't require a neutral wire ideal for retrofit or new construction
- · No polarity for line or load wiring mistake-proof wiring
- · Works with compatible dimmable LEDs (up to 150 W), and incandescent and halogen bulbs (up to 600 W)
- Use Pico<sub>®</sub> remotes for additional switches in multi-location applications

#### In-wall dimmer PRO

- · Works with approved dimmable LEDs (up to 250 W), and incandescent and halogen bulbs (up to 1000 W)
- Also works with MLV lighting (up to 1000 VA)
- · Compatible with Lutron LTE LED drivers, PHPM and GRX-TVI interfaces
- Neutral wire optional (required for MLV and drivers/interfaces)
- · Use Pico remotes or existing toggle switches in multi-location applications



- UL Listed to dim over 500 different LED light bulbs. The list of compatible bulbs is available at www.CasetaWireless.com.
- Patent-pending technology ensures superior performance with dimmable LEDs, as well as halogen and incandescent bulbs. You can even use different light bulb types with the same dimmer.
- Questions about LED control? The Lutron LED Center of Excellence is the industry resource for LED control: 1.877.DIM.LED8 or LEDS@lutron.com.







Controls wall and ceiling lights as well as general purpose fans

#### In-wall neutral switch

- Neutral wire required provides higher capacity and 10W minimum load or 1 LED bulb
- · Use Pico remotes or existing toggle switches in multi-location applications

#### In-wall switch PRO

- Dual voltage works in 120V and 277V applications
- Doesn't require a neutral wire
- · Minimum load cap included (for switching LED, CFL, and ELV loads)
- Use Pico remotes or existing toggle switches in multi-location applications

## **Product information**



#### Plug-in lamp dimmer

- Features two receptacles for simultaneous control of two lamps
- · Simply plugs into a standard wall receptacle
- · Works with dimmable LEDs (up to 100W)
- · Also works with halogen and incandescent bulbs (up to 300 W)



#### Pico remote control

- Provides convenient remote control
- · Add a light switch without having to wire anything
- Battery powered features a 10-year battery life
- · Use as a hand-held remote, clipped to a car visor, mounted to a tabletop pedestal, or mounted to a wall
- · Works with Caséta® Wireless dimmers, switches, and wireless shades

#### 4-button Pico remote control PRO

#### **Choose from three options**

- Dimming control same functionality (full on/off and raise/lower) as standard Pico, but in a 4-button aesthetic
- · 2-group switch control—control two groups of lights independently from one another
- · 3-scene control-create three different scenes, as well as turn all lights off

Note: light/shade and shade-only 4-button remotes also available. Visit **www.lutron.com/pico** for information on model numbers and engraving options.

## **Product Information**



Apple HomeKit technology provides an easy way to control your lights and shades via Siri, from your iPhone, iPad, or iPod touch.



Apple, Siri, iPhone, iPad, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

#### Smart Bridge with HomeKit technology

- Enables control of lights, shades, and temperature using the Lutron App
- Compatible with Caséta® Wireless dimmers and switches, Serena® battery-powered shades, Lutron-Honeywell Wireless Thermostat, Nest Learning Thermostat, and select Honeywell® Wi-Fi thermostats
- · Easy to install; just plugs into your Wi-Fi router
- · Uses Clear Connect® wireless technology no callbacks

#### Smart Bridge PRO with HomeKit technology

- Also compatible with Lutron Triathlon® battery-powered shades and select styles of Sivoia® QS Wireless shades
- · Adds integration with third-party A/V remote controls and security systems



#### Lutron App for smart devices

- Works in conjunction with the Smart Bridge and Smart Bridge PRO
- · Control individual lights, shades, and thermostats—even when you're away from home
- · Add scenes to control multiple lights and shades with a single touch
- · Schedule scenes to adjust lights and shades automatically
- Download for free from the App Stores or Google Play™
- Works with the Apple Watch™ for control right from your wrist
- · Use the geofencing feature to automatically turn lights on as you arrive home/turn them off as you leave
- · Receive notifications on your smart device if you've left the lights on when you leave home
- · Use the Widget feature to set a scene without unlocking your phone
- Tell Siri<sub>®</sub> to turn your lights off and close your shades just before bed, or dim the lights for movie time


## Expand your system

Caséta Wireless expands beyond lighting control. It works with other connected home solutions, such as shades and thermostats, and even other manufacturer's apps.

#### Remote controlled shades

Eliminate glare, create privacy, and help keep a room cool, all with one touch. You can even control lights, shades, and temperature together.





#### **Lutron motorized shades**

- Battery-powered; batteries last 3–5 years
- · Wireless, easy to install
- Cordless design
- · Available in roller or insulating honeycomb styles
- · Serena® shades compatible with Lutron Smart Bridge and Smart Bridge PRO
- Triathlon® shades and select styles of Sivoia® QS Wireless shades compatible with Smart Bridge PRO only



#### Wireless thermostats

Leaving work earlier than usual? Want a warm welcome home from your vacation? Control the comfort of your home from anywhere using the Lutron app and a wide range of compatible thermostats.



#### **Lutron-Honeywell Wireless Thermostat** (available from Lutron)

- · Remotely control the temperature in your home from the Lutron App
- · 7-day programmable schedule
- · Large touchscreen display with backlight
- · Precise comfort control of temperature and humidity

The Lutron App is also compatible with the Nest Learning Thermostat, select Honeywell® Wi-Fi programmable thermostats, Carrier Cor and Wi-Fi thermostats, and Ecobee Wi-Fi thermostats.









## Expand your system

#### Additional smart home technology

works with nest	Nest Protect smoke + CO alarm  When smoke or CO is detected your lights will turn on and your shades will open automatically to help you find your way			
IFTTT	IFTTT (If This Then That) Create IFTTT recipes, such as lowering your shades if it's sunny, or turning off lights if the Nest thermostat is set to "Away" mode			
Logitech Harmony Dim lights, lower shades, and start a movie with one button press on Logitech Harmony hub-based remote controls or from the Harmony a				
works with  XFINITY Home	XFINITY Home Control your lights from anywhere using the XFINITY Home app.			
amazon alexa	Amazon Alexa Create just the right light using Alexa voice control. Ask Alexa to turn lights on, off or dim them to your favorite level.			

#### Pro-level integration\*

#### **Security**

Automatically turn off lights and close shades when arming the security system before leaving for the day. Turn lights on and open shades when disarming the system when arriving home or in the event of an alarm.





#### A/V

Combine all connected home solutions into one app.

Bo	Control	Crestron Electronics, Inc.	HOME SYSTEMS
iRule Rule Your Universe	The Experts in Digital Video Technology and Solutions	<b>LAUNCH</b> PORT	P R O C O N T R O L
roomie	It's Under Control®	SAVANT	Control the Experience.

<sup>\*</sup>Smart Bridge PRO required for pro-level integration

## Ordering information

Product	Name	Model Number	Specifications/Descriptions	Voltage	List Price		
Dimmers and Switches							
	In-wall Light Dimmer	PD-6WCL-XX*	Single pole/multi-location** 150W dimmable LED 600W incandescent/halogen 434MHz	120V~ no polarity for line or load wiring	\$72.00		
	In-wall Light Dimmer <b>PRO</b>	PD-10NXD-XX*	Single pole/multi-location 250 W dimmable LED 1000 W incandescent/halogen 1000 VA MLV Neutral optional 434 MHz	120V~	\$98.00		
	In-wall Neutral Switch	PD-6ANS-XX*	Single pole/multi-location** 720W incandescent/ELV† 720VA MLV 6A LED/CFL† 3.6A general purpose fan 434MHz	120V~	\$89.00		
	In-wall Switch PRO	PD-5WS-DV-XX*	Single pole/multi-location** 600W incandescent/ELV† 600VA MLV 5A LED/CFL† 3A general purpose fan 434MHz	120/277V~ no neutral	\$89.00		
	Plug-in Lamp Dimmer	PD-3PCL-WH	Use with one or two lamps 100W dimmable LED 300W incandescent/halogen 434MHz	120V~ plugs into a standard receptacle	\$72.00		

<sup>\*</sup> XX denotes gloss color suffix (at right). In-wall dimmers and switches not available in White/Gray (WG).







<sup>\*\*</sup> For multi-location applications, replace additional switches with Pico remote controls using wallplate brackets.

<sup>&</sup>lt;sup>†</sup> Switching ELV, LED, CFL requires minimum load cap LUT-MLC (included)

## Ordering information

Product	Name	Model Number	Specifications/Descriptions	Voltage	List Price		
Pico <sub>®</sub> Remote Controls and Accessories							
	Pico Remote Control	PJ2-3BRL-WH-L01R (White)	3-button with raise/lower and light icon engraving 434 MHz	3V=== 10mA*	\$21.00		
		PJ2-3BRL-LA-L01R (Light Almond)	Additional styles of Pico available. Please visit www.lutron.com/pico to view the full selection				
	2-Button Pico Remote Control	PJ2-2B-GWH-L01 (White)	2-button with light icon engraving 434 MHz	3V 10mA*	\$25.00		
Pico		PJ2-4B-XX-L01P <sup>†</sup>	Dimming control 4-button with raise/lower and light icon engraving 434 MHz	3V=== 10mA*	\$25.00		
	4-Button Pico Remote Control <b>PRO</b>	PJ2-4B-XX-L21P <sup>†</sup>	2-group switch control 4-button with dual group light icon engraving 434 MHz	3V=== 10mA*	\$39.00		
		PJ2-4B-XX-L31P <sup>†</sup>	3-scene control 4-button with light icon scene engraving 434 MHz	3V 10mA*	\$39.00		
	Wallplate Bracket	PICO-WBX-ADAPT	Wallplate bracket allows for easy installation of a Pico remote control over an existing wallbox or directly on any wall surface	3V=== 10mA*	\$8.00		
	Car Visor Clip	PICO-CAR-CLIP	Provides an easy way to attach a Pico remote control to your car's sun visor		\$9.00		
	Tabletop Pedestal	L-PED1-WH	Single pedestal — White		\$15.00		
		L-PED1-BL	Single pedestal — Black		\$25.00		
		L-PED2-WH	Double pedestal—White		\$30.00		
		L-PED2-BL	Double pedestal – Black		\$40.00		

<sup>\*</sup> Uses single CR 2032 battery (included)

<sup>&</sup>lt;sup>†</sup> XX denotes gloss color suffix (at right). 4-button Pico remotes not available in White/Gray (WG).







Product	Name	Model Number	Specifications/Descriptions	Voltage	List Price	
Smart Bridge and Smart Bridge PRO						
	Smart Bridge with HomeKit technology	L-BDG2-WH	Smart Bridge allows control via the Lutron App or via Siri⊚	120V~ 5V== 300 mA (power supply included)	\$110.00	
	Smart Bridge PRO with HomeKit technology	L-BDGPRO2-WH	Smart Bridge PRO allows third- party integration and control via the Lutron App or via Siri	120V~ 5V== 300 mA (power supply included)	\$150.00	
Thermostat						
EX 77° EX	Lutron- Honeywell Wireless Thermostat	L-HWLV2-WIFI	Up to 3 heat/2 cool heat pump or up to 2 heat/2 cool conventional Requires common wire connection	24V~	\$331.00	
Motorized Shades						
	Please visit: www.lutron.co www.lutron.co					

## Ordering information

Product	Name	Model Number	Specifications/ Descriptions	Voltage	List Price		
Kits							
	1 In-wall Light Dimmer with 1 Pico® Remote 1 Wallplate	P-PKG1W-WH (White only)	(1) PD-6WCL-WH (1) PJ2-3BRL-WH-L01R (1) CW-1-WH (Claro <sub>®</sub> wallplate)		\$80.00		
	1 Plug-in Lamp Dimmer with 1 Pico Remote	P-PKG1P-WH (White only)	(1) PD-3PCL-WH (1) PJ2-3BRL-WH-L01R		\$80.00		
	1 Pico Remote 1 Wallplate Bracket 1 Wallplate	PJ2-WALL-WH-L01 (White only)	(1) PJ2-3BRL-WH-L01R (1) PICO-WBX-ADAPT (1) CW-1-WH (Claro wallplate)		\$32.00		
	1 Smart Bridge 1 In-wall Light Dimmer 1 Pico Remote 1 Wallplate	P-BDG-PKG1W (White only)	(1) L-BDG2-WH (1) PD-6WCL-WH (1) PJ2-3BRL-WH-L01R (1) CW-1-WH (Claro wallplate)		\$140.00		
	1 Smart Bridge 2 In-wall Light Dimmers 2 Pico Remotes 2 Pedestals 2 Wallplates	P-BDG-PKG2W (White only)	(1) L-BDG2-WH (2) PD-6WCL-WH (2) PJ2-3BRL-WH-L01R (2) L-PED1-WH (2) CW-1-WH (Claro wallplate)		\$255.00		
	1 Smart Bridge 2 Plug-in Lamp Dimmers 2 Pico Remotes 2 Pedestals	P-BDG-PKG2P (White only)	(1) L-BDG2-WH (2) PD-3PCL-WH (2) PJ2-3BRL-WH-L01R (2) L-PED1-WH		\$255.00		
PRO Kit							
	Smart Bridge <b>PRO</b> In-wall Light     Dimmer     Pico Remote     Wallplate	P-BDGPRO-PKG1W (White only)	(1) L-BDGPRO2-WH (1) PD-6WCL-WH (1) PJ2-3BRL-WH-L01R (1) CW-1-WH (Claro <sub>®</sub> wallplate)		\$200.00		

#### CasetaWireless.com

Lutron Electronics Co., Inc., 7200 Suter Road, Coopersburg, PA 18036-1299

Online: lutron.com/help | Email: support@lutron.com | Phone: 1.844.LUTRON1 (588.7661) — includes 24/7 technical support © 04/2016 Lutron Electronics Co., Inc. P/N 367-2499 REV J













